

Vaccination timeline

Name:

Age:

Vaccinations you should have had so far:

14 Years old

Tick if you had
the vaccination

Date of vaccination

Tetanus, diphtheria and polio
Td/IPV booster

Meningococcal groups A, C, W and Y disease
MenACWY

65 Years old

Pneumococcal (23 serotypes)
Pneumococcal Polysaccharide Vaccine (PPV)

65 Years old +

Influenza (each year from September)
Inactivated influenza vaccine

70 Years old

Shingles
Shingles

Special vaccinations

Certain vaccines that are not given as part of the NHS childhood routine vaccination programme can be given to those in risk groups. This may include chickenpox vaccine for healthcare workers and BCG for infants with immediate family from countries with high rates of tuberculosis (TB). Pregnant women need the pertussis and flu vaccinations to help protect them and/or their baby. Visit <https://www.nhs.uk/conditions/vaccinations/> or ask your GP practice for more information.

Travel vaccinations

When travelling outside of the UK to other parts of the world, you may need to be vaccinated against infectious diseases such as yellow fever, hepatitis A, hepatitis B and typhoid. It is important to check which vaccinations you require before travelling. You can visit NaTHNaC (National Travel Health Network and Centre) to check before you travel at: <https://travelhealthpro.org.uk/>